# **BF PRINTREFLEX**

PRINT&CUT



#### PRODUCT DESCRIPTION

**APPLICATION STEPS** 

Print - do not mirror

Weed excess material

Remove from liner

Wait 6/7 seconds

Apply BF MYLAR - remove air bubbles

Place your graphic on the shirt Press it - 150°C/305°F for 10 seconds

Remove BF MYLAR - semi-hot

Turn on your heat press - heat to 150°C/305°F

Cut - 60° blade

BF PRINTREFLEX is a reflective heat transfer film, printable with solvent, eco-solvent and latex inks, suitable for heat transfer on cotton fabrics, polyester and acrylic garments.

Thanks to its opacity BF PRINTREFLEX can be used on both light and dark garments and can be pressed on Tshirts, sportswear or uniforms for work.

## **TECHNICAL DATA**



Film: PU/polyurethane



Thickness: 150μ (±5%)



Liner: adhesive PET



Finish: reflex



Inks: solvent, eco-solvent, latex

### **PLOTTER SETTING**



Cut settings: do not mirror



Blade: 60°



Minimum cut: 1 cm

#### **APPLICATION**



Temperature: 150°C - 305°F



Time: 10"



Liner removal: semi-hot,

wait 6/7 seconds



Pressure: medium - 3,5 bar - 50 PSI



Textile: organic, synthetic, mixed, nylon and treated fabrics

#### SIZES

H 50 cm	L 25 mt / 12,5 mt / 5 mt
H 75 cm	/
H 100 cm	/
H 150 cm	/

#### WASH RESISTANCE

First wash after application	wait 12 hours
Max wash temperature*	40°C - 104°F
Dry clean	×
Dryer	×

 $<sup>^{</sup>ullet}$ Temperatures related on heat transfer vinyl; for the inks features, refer to the data sheet inks producer's.

#### SAFETY NOTICE

The values reported in this document are average values as tested under normal conditions in our lab. We cannot provide a guarantee regarding the information above mentioned in this page. Due to possible variations in the production of garments, B-FLEX recommends testing the material prior to all applications. Rev\_2021/03

follow us

















# Papergraphics is proud to be the UK distributor of the exceptional B-FLEX Heat Transfer Vinyl range.

Diva Innovation Centre Crompton Way, Crawley West Sussex RH10 9QR

Tel: 0845 130 0772 info@paper-graphics.com www.paper-graphics.com



#### Overview

We can supply B-FLEX HTV products in 500mm, 750mm and even 1000mm widths, by the linear metre or in full-length rolls, typically 25m. If you are already a customer of Papergraphics, you will find the complete B-FLEX heat transfer vinyl product listing within your online account.

If you need further information on the availability of B-FLEX vinyl or would like to open a new Papergraphics customer account to manage your orders online: **please call us on 0845 1300 772**