

PRODUCT DESCRIPTION

The BF REFLEX film combines the polyurethane layer with glass microspheres that allows light to be refracted. The polyester adhesive makes the cutting line highly visible and the liner allows easy weeding and easy repositioning of accidentally removed characters.

The 140-micron thickness and slight elasticity make the BF REFLEX series pleasant to the touch and conformable on any fabric and suitable for applications in sportswear, workwear and even for leisure time.

APPLICATION TECHNIQUES

- Knockout
- Layering on other products

APPLICATION STEPS

- Cut - 60° blade
- Weed excess material
- Turn on your heat press - heat to 140°C/285°F
- Place your graphic on the garment
- Press it - 140°C/285°F for 10 seconds
- Remove the liner - hot

SIZES

H 50 cm	L 25 mt / 12,5mt / 5 mt / 1 mt
H 75 cm	/
H 100 cm	/
H 150 cm	/

SAFETY NOTICE

The values reported in this document are average values as tested under normal conditions in our lab. We cannot provide a guarantee regarding the information abovementioned in this page. Due to possible variations in the production of garments, B-FLEX recommends testing the material prior to all applications.

Rev_2021/03

TECHNICAL DATA



Film: PU/polyurethane



Thickness: 140μ (±5%)



Liner: adhesive PET



Finish: reflex

PLOTTER SETTING



Cut settings: mirror



Blade: 60°



Minimum cut: 0,5 cm

APPLICATION



Temperature: 140°C - 285°F



Time: 10''



Liner removal: hot



Pressure: medium - 3,5 bar - 50 PSI



Textile: organic, synthetic, mixed and nylon

WASH RESISTANCE

First wash after application	wait 12 hours
Max wash temperature	40°C - 104°F
Dry clean	✗
Dryer	✗

BF REFLEX

COLOUR GUIDE



- Reflective effect
- Pleasant and soft on any garment
- Easy to weed



BF REF
REFLECTIVE



Papergraphics is proud to be the UK distributor of the exceptional B-FLEX Heat Transfer Vinyl range.

Overview

Diva Innovation Centre
Crompton Way, Crawley
West Sussex RH10 9QR

Tel: 0845 130 0772
info@paper-graphics.com
www.paper-graphics.com



papergraphics

We can supply B-FLEX HTV products in 500mm, 750mm and even 1000mm widths, by the linear metre or in full-length rolls, typically 25m. If you are already a customer of Papergraphics, you will find the complete B-FLEX heat transfer vinyl product listing within your online account.

If you need further information on the availability of B-FLEX vinyl or would like to open a new Papergraphics customer account to manage your orders online: **please call us on 0845 1300 772**
