

PRODUCT DESCRIPTION

BF SUBLISTOP80 was developed to be applied on sublimated polyester garments. With a thickness of just 80 microns, we added a built-in blocker to the polyurethane film to stop the dye migration process. This product can withstand multiple wash cycles. Thanks to the highly visible cutting lines and the ease of use, you can rest assured that this product will increase your productivity.

BF SUBLISTOP80 features a thickness of only 80 microns. It can also be layered and can withstand wash cycles up to 40° C.

APPLICATION TECHNIQUES

- Knockout
- Layering from other series

APPLICATION STEPS

- Cut - 45° blade
- Weed excess material
- Turn on your heat press - heat to 130°C/265°F
- Place your graphic on the garment
- Press it - 130°C/265°F for 8 seconds
- Remove the liner - hot

SIZES

H 50 cm L 25 mt / 12,5 mt / 5 mt / 1 mt

H 75 cm L 25 mt (upon request)

H 100 cm L 25 mt (upon request)

H 150 cm L 25 mt (upon request)

Comply with
regulation **REACH**
n°1907/2006/EU

TECHNICAL DATA



Film: PU/polyurethane



Thickness: 80μ (±5%)



Liner: adhesive PET



Finish: opaque

PLOTTER SETTING



Cut settings: mirror



Blade: 45°



Minimum cut: 0,5 cm

APPLICATION



Temperature: 130°C - 265°F



Time: 8"



Liner removal: hot



Pressure: medium - 3,5 bar - 50 PSI



Textile: synthetic, sublimated fabrics

WASH RESISTANCE

First wash after application wait 12 hours

Max wash temperature 40°C - 104°F

Dry clean ✗

Dryer ✗

SAFETY NOTICE

The values reported in this document are average values as tested under normal conditions in our lab. We cannot provide a guarantee regarding the information abovementioned in this page. Due to possible variations in the production of garments, B-FLEX recommends testing the material prior to all applications.

Rev_2021/03

follow us

HEADQUARTERS B-FLEX ITALIA S.r.l. info@b-flexitalia.com | www.b-flexitalia.com

NORTH AMERICA BRANCH B-FLEX AMERICA LLC info@b-flexamerica.com | www.b-flexamerica.com

ASIA-PACIFIC BRANCH B-FLEX PACIFIC PTY LTD info@b-flexpacific.com | www.b-flexpacific.com



BF SUBLISTOP80

COLOUR GUIDE



- Ultra thin!
- Prevents the color's pigmentations from migrating from the fabric to the film's surface
- Fully opaque



BF 700ASU80
WHITE SUBLISTOP (80µ)



**Papergraphics is proud to be the
UK distributor of the exceptional
B-FLEX Heat Transfer Vinyl range.**

Overview

Diva Innovation Centre
Crompton Way, Crawley
West Sussex RH10 9QR

Tel: 0845 130 0772
info@paper-graphics.com
www.paper-graphics.com



papergraphics

We can supply B-FLEX HTV products in 500mm, 750mm and even 1000mm widths, by the linear metre or in full-length rolls, typically 25m. If you are already a customer of Papergraphics, you will find the complete B-FLEX heat transfer vinyl product listing within your online account.

If you need further information on the availability of B-FLEX vinyl or would like to open a new Papergraphics customer account to manage your orders online: **please call us on 0845 1300 772**
